Faculty of Engineering & Technology First Semester B.E. (C.B.S.) Examination ENGINEERING CHEMISTRY

Time—Two Hours]

[Maximum Marks-40

INSTRUCTIONS TO CANDIDATES

- (1) All questions carry marks as indicated.
- (2) Answer FOUR questions as follows: Q. 1 or Q. 2, Q. 3 or Q. 4, Q. 5 or Q. 6, Q. 7 or Q. 8.
- (3) Due credit will be given to neatness and adequate dimensions.
- (4) Assume suitable data wherever necessary.
- (5) Diagrams and Chemical equations should be given wherever necessary.
- (6) Illustrate your answers wherever necessary with the help of neat sketches.
- (7) Use of non programmable calculator is permitted.
- (8) Discuss the reaction, mechanism wherever necessary.
- 1. (a) Calculate the amount of lime (85% pure) and soda (90% pure) required to soften 5,00,000 liters of water using FeSO₄.7H₂O as a coagulant at the

Contd.

	rate of 69.5 ppm, with the following impurities
	(in ppm):
	$Ca(HCO_3)_2 = 81$; $CaCl_2 = 111$; $Mg(HCO_3)_2 = 73$;
Ø.	$MgSO_4 = 90$; $NaCl = 72$
Ţ.	Also calculate the carbonate and non-carbonate
	hardness. 8
(b)	What are boiler scales? How they are formed?
* *	Discuss disadvantages of scales. 4
	OR ,
. (a)	A zeolite softener was exhausted on passing hard
414 11	water containing 450 ppm of hardness. The
<i>∳</i> .	exhausted zeolite bed was regenerated completely
	on passing 290 liters of NaCl solution containing
	6% NaCl. Calculate the quantity of hard water
Taylor A Caylor	that was softened using this softener.
(b)	
	(i) Caustic embrittlement
The grant and	(ii) Phosphate conditioning
	(iii) Chlorination of water.
3. (a)	What is cathodic protection? How it is done
J. (u)	using sacrificial anode method?
(b)	Attempt any two:
	(i) Atmospheric corrosion
	(ii) Galvanization
ar i i j	(iii) Effect of Environment on Corrosion. 6
	OR
MMW-	-9684 2 Contd.
	www.solveout.in

4. (a)	Discuss the importance of design and material
τ. (ω)	selection in controlling corrosion.
(b)	Give reasons (any three):
	(i) Rusting of Iron is quicker in saline water
, t	than ordinary water.
** *	(ii) Corrosion is reverse of extraction metallurgy.
	(iii) Corrosion occurs in steel pipe connected to
	copper plumbing.
	(iv) Corrosion of water filled tanks occurs below
alin et La la	the water line.
5. (a)	Explain the Wet process of cement manufacturing,
	with a neat and well labelled diagram.
(b)	For what purpose following types of cement is
	used and why ?
	(i) White cement
egre yezhekedek	(ii) Low heat cement
	(iii) High alumina cement
	(iv) Rapid hardening cement. 4
	OR
(0)	Explain the process of setting and hardening of
6. (a)	aamant
(b)	What are the important process parameters for
(0)	manufacturing of good cement clinker.
(c)	What do you mean by soundness of cement? 2
(0)	mark a speed of a political section of the section
	Contd.

ery
4
1 - T
. / H
4
ce.
ર
anc
3
ر 2

www.solveout.in